

# **Application Success Story:**

**Industry: Pulp And Paper** 

Product: Pulp

Sealing Solution: Packing



## Application Info

- Lightinin Mixer
- Temp 200°F / 93°C
- Flush Rate 3-5 GPM / 11.5-19 LPM

#### Problem

- Packing was only lasting 6-8 weeks due to shaft deflection
- A device was required to replace the lantern ring and bushing combination while removing abrasives from the stuffing box and secondly providing shaft support when necessary



#### Solution

- SpiralTrac<sup>™</sup> Version P Type B with a tight inside clearance
- Material: EnviroSeal BGE
- 5 rings of Chesterton1400R packing

### Result

- Eliminated packing failures that had potential to shut down the Digester
- Agitator is now operating with only a drip rate at the gland
- Flush Rate 1-2 GPM / 3.5-7.5 LPM





2456 Rocky Lake Drive Waverley, Nova Scotia B2R 1R6 CANADA (902) 861-3464 Fax: (902) 861-3522 Email: sales@enviroseal.ca Website: www.enviroseal.ca DISTRIBUTED BY:

